Journal of Obstetrics and Gynaecology (1998) Vol. 18, No. 6, 607–616

CARFAX

Index

Volume 18/1998

Abeykoon, S. C. A.: see Gunasekera, P. C.
Ablett, J. C., Whitten, M. and Smith, J. R.: Do blunt tipped needles reduce the risk of glove puncture and needlestick injury in the suture of episiotomy and perineal repair?, 478
Abortions, pregnancy after, 159
Aboud, E., Devaja, O., Shembekar, M., Kenney, A. and Raju, S.: Genital tract metastasis from breast carcinoma, 586
Abu-Heija, A. T. and El Chalabi, H.: Great grand multiparity: is it a risk?, 136
Abu-Heija, A. T. and Zayed, F.: Primary and repeat caesarean sections: comparison of indications, 432
Abu-Heija, A. T., Ziadeh, S. and Obeidat, A.: Mode of delivery and perinatal results of the breech first twin, 47
Abu-Heija, A. T.: see also El-Jallad, M. F.; Ziadeh, S.
Abukteish, F.: see Ziadeh, S.
Abusheika, N.: see Manassiev, N.
Acharya, G. P. and Mills, A. M.: Successful management of intractable menorrhagia with a levonorgestrel-releasing intrauterine device in a woman with a bicornuate uterus, 392
Adebamowo, C. A., Odukogbe, A. A. and Ajuwon, A. J.: Knowledge, attitude and practices related to hepatitis B virus infection among Nigerian obstetricians and midwives 528
Adelusi, B., Bamgboye, E. A., Chowdhury, N. and Al-Nuaim, L.: Pregnancy after abortions, 159
Adenomyosis following endometrial resection—a retrospective study, 564
Adewole, I. F.: see Ajayi, I. O.
Adnexal cysts, simple, an evaluation of transvaginal ultrasound-guided aspiration of, 474
Adnexal mass, a pelvic retroperitoneal schwannoma as an, 599
Adnexal tumour, of probable Wolffian origin, 200
Agarwal, P.: see Samal, S.
Ajayi, I. O. and Adewole, I. F.: Determinants of utilisation of cervical cancer screening facility in a low socio-economic setting in Nigeria, 154
Ajuwon, A. J. see Adebamowo, C. A.
Akinci, Z.: see Elpek, G.
Akinyinka, O. O.: see Sowunmi, A.
Al-Awadi, S.: see Egbase, P.
Al-Mushrif, S. and Jones, M. B.: A study of the prevalence of hydrogen peroxide generating *lactobacilli* in bacterial vaginosis: the determination of H_2O_2 concentrations generated, *in vitro*, by isolated strains and the levels found in vaginal secretions of women with and without infection, 63
Al-Nuaim, L.: see Adelusi, B.
Al-Omari, S. *see* Khunda, S. S.
Al-Rufaie, H. K.: see Rix, G. H.
Al-Sharhan, M.: see Egbase, P.
Al-Shawaf, T.: see El-Nemr, A.
Albar, H. M.: see Sobande, A. A.
Alexander-Sefre, F., Morcos, M., Mohamid, W. and Minchin, A. J.: Vulval cancer in pregnancy, 595
Algwiser, A. *see* Mesleh, R.
Ali Akbar, S., Nicolaides, K. H. and Brown, P. R.: The localisation of copper/zinc superoxide dismutase in human normal term placenta by immunofluorescence technique, 44
Ali Akbar, S., Nicholaides, K. H. and Brown, P. R.: Measurement of Cu/Zn SOD in placenta, cultured cells, various fetal tissues, decidua and semen by ELISA, 331
Amielle vaginal trainers—a patient evaluation, 146
Amster, R.: see Goldman, G. A.
Anaerobic vaginosis and premalignant disease of the cervix (correspondence), 207
Anklesaria, B. S.: see Bhathena, R. K.
Apoola, A. and Hefni, M. A.: Hysterectomy for moderately enlarged uterus: abdominal versus vaginal hysterectomy, 375
Arioglu, P.: see Özden, S.
Arowojolu, A. O., Bakare, R. A., Oni, A. A. and Ilesanmi, A. O.: Laparoscopic and microbiological features of acute salpingitis in developing countries, 164
Arowojolu, A. O. and Ilesanmi, A. O.: Clinical and laparoscopic diagnosis of acute pelvic inflammatory disease in Nigeria, 276
Arowojolu, A. O.: see also Sowunmi, A.
As, A. K.: see Chowdhury, R. R.
Ashworth, F.: see Raslam, F.
Atiomo, W. U., Shrestha, R. and Falconer, A. D.: Evaluation of a one-stop clinic for the rapid assessment of post-menopausal bleeding, 148
Ayoub, H. see Mesleh, R.
Aytac, R.: see Kocak, I.
Aziz, A. I.: Extra-cranial frontal teratoma—case report and recommendation for treatment, 382

Babatunde, T. R.: see Sanusi, F. A.
Bacterial vaginosis and cervical intraepithelial neoplasia—cause or coincidence, 572
Bacterial vaginosis, a study of the prevalence of hydrogen peroxide generating *lactobacilli* in,: the determination of H_2O_2 concentrations generated, *in vitro*, by isolated strains and the levels found in vaginal secretions of women with and without infection, 63
Bailey, H. J., Fish, A. N. J. and Darley, C. R.: Toxic shock syndrome following minor surgery in pregnancy resulting in premature labour and subsequent neonatal death, 186
Bakare, R. A.: see Arowojolu, A. O.
Bako, A. U.: Knowledge and use of emergency contraception amongst Nigerian graduates, 151
Bakour, S. H., Nassif, B. and Nwosu, E. C.: Outcome of a ruptured uterus at University Teaching Hospital, Aleppo, Syria, 424
Balen, A. H.: see Hickey, K.
Bales, G.: see Barrington, J. W.
Bamgboye, E. A.: see Adelusi, B.
Bar, J.: see Rabinerson, D.
Barjot, P. J., Refahi, N., Berthet, P. and Delautre, V. D.: Intravenous leiomyomatosis of the uterus: GnRH agonist utilisation before surgery, 492
Barrington, J. W., Fulford, S., Bales, G. and Stephenson, T. P.: The modified rectus fascial sling for the treatment of genuine stress incontinence, 61
Barry-Kinsella, C.: see Bosio, P. M.
Barton, S. E. see Uthayakumar, S.
Başaran, O.: see Dŏgan, M. M.
Başaran, Z.: see Dŏgan, M. M.
Bassaw, B., Roopnarinesingh, S., Roopnarinesingh, A. and Homer, H.: Prevention of hypertensive disorders of pregnancy, 123
Bassaw, B.: see also Roopnarinesingh, S.
Bassiri, M. see Tchoudomirova, K.
Batman, P. A.: see Dwyer, J. P.
Ben-Rafael, R. Z.: see Goldman, G. A.
Berthet, P.: see Barjot, P. J.

0144-3615/98/060607-10 $9.50 © Institute of Obstetrics and Gynaecology Trust, 1998

Beyra-Vanneste, A.-L. see de Muylder, X.
Bhal, P. S., Davies, N. J. and Chung, T.: A population study of face and brow presentation, 231
Bhathena, R. K.: The 1995 pill scare and its aftermath: lessons learnt, 215
Bhathena, R. K.: The pathophysiology, prevention and management of the ovarian hyperstimulation syndrome, 405
Bhathena, R. K., Anklesaria, B. S., Ganatra, A. M. and Pinto, R.: The influence of medroxyprogesterone acetate on the effects of transdermal oestradiol replacement therapy on plasma lipids, 141
Bhattacharyya, A. and Jones, J. E.: Spontaneous vaginal delivery of monoamniotic twin pregnancy despite extensive cord entanglement, 283
Bilgin, T., Ozan, H., Dirgen, A. and Esmer, A.: Comparison of four different antibiotics as prophylaxis in caesarean section, 546
Biran, G.: see Goldman, G. A.
Blunt tipped needles, do they reduce the risk of glove puncture and needlestick injury in the suture of episiotomy and perineal repair?, 478
Blunt-tipped versus sharp-tipped needles: wound morbidity, 18
Bobzom, D. N., Mai, A. M., Chama, C. M. and Muna, D. M.: Maternal mortality in Maiduguri, Nigeria, 139
Bonevski, B., Sanson-Fisher, R., Girgis, A. and Perkins, J.: Women's experiences of having a colposcopic examination: self-reported satisfaction with care, perceived needs and consequences, 462
Bori, S., Galanello, R., Ferrarese, R. and Lauro, V.: Acute fetal anaemia: a case of feto-maternal transfusion, 387
Bosio, P. M., Barry-Kinsella, C., O'Keane, C. and O'Malley, K.: Spontaneous iliac artery dissection in a healthy postpartum woman, 88
Boudier, E.: see Langer, B.
Boultin, G.: see Lurie, S.
Bowen, A. J., John, V. A., Ramirez, M. E. and Good, W. R.: Bioavailability of oestradiol from the Alora (0.1 mg/day) oestradiol matrix transdermal delivery system compared with Estaderm (0·1 mg/day), 575
Bowen, R. S., Mars, M., Chuturgoon, A. A., Dutton, M. F. and Moodley, J.: The response of the dietary anti-oxidants vitamin E and vitamin C to oxidative stress in pre-eclampsia, 9
Boyd, I. E. see Fawzi, H. W.
Boyle, D. C. M. see Uthayakumar, S.
Breast carcinoma, genital tract metastasis from, 586
Breech delivery, caesarean, entrapped after-coming head in, 80
Breech first twin, mode of delivery and perinatal results, 47
Breech presentation after 34 weeks—a meta-analysis of corrected perinatal mortality/morbidity according to the method of delivery, 127
Breech presentation weighing > 1500 g, singleton, effect of mode of delivery on perinatal results, 30
Brenner, R.: see Schild, R. L.
British Maternal and Fetal Medicine Society: Third Annual Conference—Programme and Abstracts (Supplement) S1–S64
Brown, P. R.: see Ali Akbar, S.
Bryne, C. D.: see Neill, A. M.
Burmeister, L.: see Lowe, P. J. M.

Caesarean section, classical, what are the maternal implications?, 345
Caesarean section, comparison of four different antibiotics as prophylaxis in, 546
Caesarean section, emergency, in term nulliparas, 351
Caesarean section rate, elective, the influence of maternal request, 115
Caesarean sections, primary and repeat,: comparison of indications, 432
Cairns, A.: see Hickey, K.
Cammu, H., Martens, G. and Van Maele, G.: Epidural anaesthesia for low risk labour determines the rate of instrumental deliveries but not that of caesarean sections, 25
Cardiotocography, abnormal, haemorrhage from umbilical cord varices—an unusual cause, 176
Cardiotocography in umbilical cord entanglement, 590
Carpenter, T., Smith, P. and Penman, D.: Successful second pregnancy following transcervical endometrial resection, 480
Carswell, W.: see Keriakos, R.
Carter, S., Davidson, T., Hussain, N. and McLaughlin, J.: A case of spontaneous umbilical endometriosis, 490
Casaclang, D.: see Shembekar, M.
Cerebral pathology in the pre-term infant and associated peripartum metabolic acidosis, 111
Cervical cancer screening facility, determinants of utilisation of, in a low socio-economic setting in Nigeria, 154
Cervical intraepithelial neoplasia, bacterial vaginosis and, cause or coincidence?, 572
Cervical ripening, a comparison of an intravaginal controlled release prostaglandin E_2 (10mg) versus prostaglandin E_2 (3mg) vaginal tablet, for initiation of labour, 460
Cervical smear, dyskaryotic glandular cells, warrant a thorough investigation of the site, 500
Cervical suture to stop preterm labour, removal of, 81
Cervico-vaginal cyst following knife cone biopsy of the cervix, 389
Cervix, prolactin as a tumour marker in cancer of the, 260
Cervix uteri, annular detachment—the forgotten entity, 279
Chama, C. M.: see Bobzom, D. N.
Chamberlain, G. V. P., Wraight, A. and Crowley, P.: What is really happening to home births?, 7
Chin, K. A. J., Kaseba, C. M. and Weaver, J. B.: Scleroderma in pregnancy, 238
Chin, K. A. J., Wee, L., Penketh, R. J. A.: Laparoscopic management of a rudimentary uterine horn pregnancy, 498
Chloroquine plus chlorpheniramine, efficacy of, in the chloroquine-resistant falciparum malaria during pregnancy in Nigerian women: a preliminary study, 524
Chowdhury, N.: see Adelusi, B.
Chowdhury, R. R., Webb, J. B., Madders, D. J. and As, A. K.: Unilateral autoamputation of the fallopian tube, 204
Christoforidis, N., Gouk, E. and Roberts, M.: Cardiotocography in umbilical cord entanglement, 590
Chung, T.: see Bhal, P. S.
Chuong, C. J..: see Rosenfeld, B. L.
Chuturgoon, A. A.: see Bowen, R. S.
Clarke, T.: see Finan, A.
Clarkson, P.: see Thakar, R.
Clinical studies, why do women volunteer to participate?, 68
Cockburn, J.: see Hafez, A.
Coker, A., Olaku, O. and Reid, P. C.: Migrating clips: a myth or a reality?, 290
Cole, R. M. and Lamont, R. F.: Current perspectives on drug treatment for preterm labour, 309
Colectomy, sub-total, for perforated toxic megacolon in pregnancy, 601
Colpopexy: a modification of Shaw's technique, 365
Colposcopic examination, women's experiences of having a,: self-reported satisfaction with care, perceived needs and consequences, 462
Combrink, W.: see Howarth, G. R.
Congenital adrenal hyperplasia, pregnancy with 285
Congenital myotonic dystrophy, polyhydramnios: an association, 484
Contraception, emergency, knowledge and use of, amongst Nigerian graduates, 151
Copper-T200 intrauterine device, displacement, into the sigmoid colon, 292
Copper/zinc superoxide dismutase, the localisation of in human normal term placenta by immunofluorescence technique, 44

Cornual pregnancy, laparoscopically treated a result of spontaneous conception after prior salpingectomy for tubal pregnancy, 602
Corr, P.: see Ellwood, J. L.
Cotzias, C. S. and Paterson-Brown, S.: Ventouse: use, cup placement and success, 318
Crowley, P.: see Chamberlain, G. V. P.

Danso, D., Thein, K. and Haloob, R.: Vesico-cutaneous fistula with a valvular stone—an unusual complication following gauze-hammock sling operation, 488
Darley, C. R.: see Bailey, H. J.
Davidson, T.: see Carter, S.
Davies, N.: see Savvidou, M.
Davies, N. J.: see Bhal, P. S.
Davies, Q.: see Dobbs, S. P.
de la Ronde, S. see Dunphy, B. C.
De, M.: see Mandal, A. K.
de Muylder, X., and Beyra-Vanneste, A.-L.: Primary thrombocythaemia in pregnancy, 588
Deep vein thrombosis secondary to compression by uterine leiomyoma, 397
Dekkel, A.: see Rabinerson, D.
Delautre, V. D.: see Barjot, P. J.
Dent, K. S.: see Navaneetham, N.
Desai, A. see Soin, B.
Devaja, O. see Aboud, E.
Dhar, K. K., Foden-Shroff, J., Ghoshal, S., Tucker, H., Millinship, J. and Redman, C. W. E.: Local anaesthesia for large loop excision of the cervical transformation zone: has prilocaine/felypressin less side effects than lignocaine/adrenaline?, 373
Dirgen, A. see Bilgin, T.
Dixon, G. R.: see Keriakos, R.
Dobbs, S. P., Davies, Q., Maplethorpe, R. M., Tierney, R. and Hammond, R. H.: Patient satisfaction with day case laparoscopy, 471
Dögan, M. M., Başaran, Z., Ekici, E., Başaran, O., Özcan, T., Gökay, Z. and Gökmen, O.: Effect of hysterectomy on ovarian blood supply and function, 263
Doh, A. S.: see Kouam, L.
Domínguez, P.: see Valenzuela, P.
'Don't be fooled by patient's make-up!', 561
Doppler blood flow velocity waveform of the umbilical artery, comparison of the intrapartum analysis of, with fetal heart tracing for the prediction of perinatal outcome, 445
Dornan, J. C.: see Tay, P. Y. S.
Doyle, D. F., Li, T. C. and Richmond, M. N.: The prevalence of continuing chronic pelvic pain following a negative laparoscopy, 252
Drakakis, P.: see Karpathios, S.
Dunphy, B. C., Goerzen, J., Greene, C. A., de la Ronde, S., Seidel, J. and Ingelson, B.: A double-blind randomised study comparing danazol and medroxyprogesterone acetate in the management of menorrhagia, 553
Dunster, G. D.: see Teale, G. R.
Dutton, M. F.: see Bowen, R. S.
Dwyer, J. P., Jones, S. E., Batman, P. A.: Spontaneous uterine rupture at 15 weeks of gestation due to placenta percreta, 384
Dyskaryotic glandular cells on a cervical smear warrant a thorough investigation, 500
Dyspareunia due to osteochondroma of the pubic ramus, 90

Eben, F. see Ikomi, A.
Eckford, S. D., Macnab, J. L., Turner, M. L., Plews, D. and Liston, W. A.: Plasmapheresis in the management of HELLP syndrome, 377
Eclampsia, cerebral magnetic resonance imaging in,: a series of 12 cases, 412
Eclampsia, not all that fits in pregnancy is,: a lesson, 481
Ectopic pregnancies, an analysis of, following *in vitro* fertilisation treatment in a 10-year period, 359
Ectopic pregnancy, management of, by laparotomy and subsequent fertility, 169
Edwards, G.: see Savvidou, M.
Egbase, P., Al-Awadi, S., Al-Sharhan, M. and Grudzinskas, J. G.: Unilateral ovarian diathermy prior to successful *in vitro* fertilisation: a strategy to prevent recurrence of ovarian hyperstimulation syndrome?, 171
Ehlers-Danlos syndrome, type IV, the threat of on maternal well-being during pregnancy: early delivery may make the difference, 245
Ekici, E.: see Dögan, M. M.
Ekin, M. see Gungor, T.
El Chalibi, H.: see Abu-Heija, A. T.
El-Jallad, M. F., Abu-Heija, A. T., Ziadeh, S. and Obeidat, A.: Is the second-born twin at high risk?, 133
El-Jallad, M. F.: see also Ziadeh, S.
El-Nemr, A., Sabatini, L., Wilson, C., Lower, A. M., Al-Shawaf, T. and Grudzinskas, J. G.: Vitamin B12 deficiency and IVF, 192
ELISA, measurement of Cu/Zn SOD in placenta, cultured cells, various fetal tissues, decidua and semen by, 331
Ellwood, J. L., Moodley, J. and Corr, P.: Cerebral magnetic resonance imaging in eclampsia: a series of 12 cases, 412
Elpek, G. Ö.: see Elpek, G.
Elpek, G., Üner, M., Elpek, G. Ö., Şedele, M. and Karaveli, Ş.: The diagnostic accuracy of the Pipelle endometrial sampler in the presence of endometrial polyps, 274
Elpek, G., Üner, M., Trak, B., Akinci, Z. and Zorlu, C. G.: Intravaginal naproxen in preterm labour: a preliminary study, 236
Emembolu, J. O.: Vaginal delivery after two or more previous caesarean sections: is trial of labour contraindicated?, 20
Endometrial cancer disguised as vulval cancer, 597
Endometrial resection, adenomyosis following, a retrospective study, 564
Endometrial resection, transcervical, successful second pregnancy following, 480
Endometriosis, a case of spontaneous umbilical, 490
Endometriosis, intestinal-ovarian fistula associated with, 196
Enoxaparin sodium (clexate), severe hyperlipidaemia in pregnancy related to the use of low-molecular-weight heparin, 83
Epidural anaesthesia for low risk labour determines the rate of instrumental deliveries but not that of caesarean sections, 25
Esmer, A. see Bilgin, T.
Etokowo, G. A.: see Rafla, N. M.
External cephalic version, experience with selective, at term in Saudi Arabia: three year review, 439
Extra-cranial frontal teratoma—case report and recommendation for treatment, 382
Ezenwaka, C. E., Idrisa, A. and Okara, G. C.: Maternal plasma glycaemia and fetal outcome in north-east Nigeria, 455

Face and brow presentation, a population study, 231
Factor VIII deficiency, acquired postpartum,: a cause of severe postpartum complications, 180
Fahy, U. M., Oni, M., Finlay, D. and Sell, P.: Surgical management of herniated lumbar disc in pregnancy, 544
Fait, G., Gull, I., Kupferminc, M. J., Shenhav, M., Gold, R., Jaffa, A. and Lessing, J. B.: Intravenous immune globulins in Guillain-Barré syndrome in pregnancy, 78
Fait, G., Gull, I., Kupferminc, M. J., Shenhav, M., Jaffa, A. and Lessing, J. B.: Fever in a pregnant woman with common variable immunodeficiency, 188
Falciparum malaria, chloroquine-resistant, efficacy of chloroquine plus chlorpheniramine, during pregnancy in Nigerian women: a preliminary study 524
Falciparum malaria, randomised trial of artemether versus artemether and mefloquine for the treatment of chloroquine/sulphfadoxine-pyrimethamine-resistant, during pregnancy, 322

Falconer, A. D.: see Atiomo, W. U.
Fallopian tube teratoma, benign, an unusual cause of right iliac fossa pain, 194
Fallopian tube, unilateral autoamputation of the, 204
Farquharson, R. G.: see Kirwan, J. M. J.; see also Semple, D.
Farrell, T. and McLellan, A.: Evidence of growth restriction in unexplained stillbirths, 548
Fawole, O.: see Ilesanmi, A. O.
Fawzi, H. W. and Kamil, K. K.: Rupture of the uterus in labour: a review of 14 cases in a general hospital, 429
Fawzi, H. W., Shehata, K. I. S. I., Godfrey, K. A.: Dyskaryotic glandular cells on a cervical smear warrant a thorough investigation of the site, 500
Fawzi, H. W., Weitch, J. and Boyd, I. E.: Endometrial cancer disguised as vulval cancer, 597
Feduka, S.: see Kelly, J.
Fehintola, F. A.: see Sowunmi, A.
Female adnexal tumour of probable Wolffian origin, 200
Fernando, R. J.: see Gunasekera, P. C.
Ferrarese, R.: see Bori, S.
Fetal heart tracing, comparison of the intrapartum analysis of Doppler blood flow velocity waveform of the umbilical artery, for the prediction of perinatal outcome, 445
Feto-maternal transfusion, acute fetal anaemia: a case of, 387
Fever in a pregnant woman with common variable immunodeficiency, 188
Ficicioglu, C.: see Özden, S.
Finan, A., Ledwidge, M., Clarke, T., Matthews, T., Gillan, J., Gleeson, R., McKenna, P. and O'Regan, M.: Perinatal factors influencing survival of extremely low birth weight infants, 227
Finlay, D. *see* Fahy, U. M.
Fish, A. N. J.: see Bailey, H. J.
Fistulas, urinary tract, following gynaecological surgery, 369
Fitzpatrick, C.: see Greene, R. A.
Fletcher, H. and McCaw-Binns, A.: Rupture of the uterus with misoprostol (prostaglandin E1) used for induction of labour, 184
Fliegner, J. R. H.: The use of hormone assays and transvaginal ultrasound measurement of endometrial thickness in the management of recurrent postmenopausal bleeding, 76
Foden-Shroff, J., Thomas, E. and Redman, C. W. E.: Prophylactic antibacterials at the time of loop diathermy excision: current practice in the United Kingdom, 272
Foden-Shroff, J.: see also Dhar, K. K.
Foley, M.: see Mulvey, S.
Folic acid prophylaxis to prevent neural tube defects, minimal compliance with Department of Health guidelines (correspondence), 501
Forrest, A. R. W.: see Tomsu, M.
Fulford, S.: see Barrington, J. W.
Furniss, H.: see Pickersgill, A.

Galanello, R.: see Bori, S.
Ganatra, A. M.: see Bhathena, R. K.
Genital tract metastasis from breast carcinoma, 586
Genital warts: treatment with the immune response modifier 'Imiquimod'. Report from the XVth FIGO World Congress of Gynaecology and Obstetrics (Supplement) S65–S84
Gestational dating, 'expert' analysis of menstrual and ultrasound data in pregnancy, 435
Ghosal, S.: see Dhar, K. K.
Gillan, J.: see Finan, A.
Gillmer, M. D.: see Smith, K. M.
Girgis, A.: see Bonevski, B.
Gleeson, R.: see Finan, A.
Glucose challenge test, 50 gram or 100 gram oral glucose tolerance test, low values are associated with good perinatal outcome, 451
Godfrey, K. A.: see Fawzi, H. W.
Goerzen, J. see Dunphy, B. C.
Gökay, Z.: see Dŏgan, M. M.
Gökmen, O.: see Dŏgan, M. M.
Gokmen, O. see Gungor, T.
Gold, R.: see Fait, G.
Goldman, G. A., Kaplan, B., Rabinerson, D., Biran, G., Amster, R. and Ben-Rafael, R. Z.: Vaginal delivery following caesarean section—the use of oxytocin and prostaglandins, 328
Good, W. R. see Bowen, A. J.
Gouk, E. see Christoforidis, N.
Grace, R. H.: see Oke, O. O.
Granulosa cell tumour presenting as an isolated hydrothorax and grossly raised CA125, 593
Granulosa cell tumours of the ovary express inhibin but not CA125, 355
Grand multiparity, great, is it a risk?, 136
Greene, C. A. see Dunphy, B. C.
Greene, R. A., Fitzpatrick, C. and Turner, M. J.: What are the maternal implications of a classical caesarean section? 345
Growth restriction in unexplained stillbirths, evidence of, 548
Growth retardation at term, disproportionate intrauterine, neonatal morbidity associated with, 540
Grudzinskas, J. G.: see Egbase, P.; see also El-Nemr, A.
Guillain-Barré syndrome in pregnancy, intravenous immune globulins in, 78
Guirguis, M.: see Oke, O. O.
Gull, I.: see Fait, G.
Gunasekera, P. C., Fernando, R. J. and Abeykoon, S. C. A.: Occult ovarian cancer presenting as cerebral metastases, 294
Güner, R.: see Özden, S.
Gungor, T., Ekin, M. and Gokmen, O.: A pelvic retroperitoneal schwannoma as an adnexal mass, 599
Gupta, U.: see Samal, S.
Gynaecological and microbiological findings in women attending for a general health check-up, 556

Hackett, G. A.: see Neill, A. M.
Haemorrhage from umbilical cord varices—an unusual cause of abnormal cardiotocography, 176
Haemorrhage, severe secondary postpartum, successfully managed by vaginal myomectomy, 380
Haemorrhage of uncertain origin, antepartum, what is the value of hospitalisation?, 120
Hafez, A., Riddle, A. and Cockburn, J.: Successful perinatal outcome after 5 weeks reversed umbilical artery blood flow, 287
Hagay, Z. J.: see Lurie, S.
Hall, D. R.: Removal of cervical suture to stop preterm labour, 81
Haloob, R.: see Danso, D.
Hamad, A. I.: see Sharara, H. A.
Hammond, R.: see Dobbs, S. P.; see also Jack, S.
Hansmann, M.: see Schild, R. L.
Harkett, R.: see Nunns, D.
Hart, R., Magos, A., Nagele, F., Heal, K., Isorna, V., Jirecek, S. and Kudielka, I.: 'Don't be fooled by patient's make-up!', 561
Hartman, C.: see Howarth, G. R.; see also Pistorius, L. R.
Hatada, Y.: Wandering calcified teratoma, 499
Headless spermatozoa in fertile men, 581
Heal, K. see Hart, R.
Heart rate of a term fetus, what is the normal?, 442
Heatley, M. K.: see Smith, H.
Hefni, M. A.: see Apoola, A.
Hellberg, D. see Tchoudomirova, K.
HELLP syndrome, plasmapheresis in the management of, 377
Henalla, S.: see Usman, F.
Hepatitis B virus infection, knowledge, attitude and practices related to, among Nigerian obstetricians and midwives, 528

Herniated lumbar disc, surgical management of, in pregnancy, 544
Hickey, K., Cairns, A. and Balen, A. H.: Rupture of a rudimentary uterine horn at 19 weeks' gestation, 394
Hickey, M. and Morris, N. H.: The impact of nitric oxide on gynaecology, 408
Ho, P. C.: see Ng, E. H. Y.
Hodgkin's disease in pregnancy, 486
Hofstaetter, C.: see Schild, R. L.
Home births, what is happening to, 7
Homer, H.: see Bassaw, B.
Howarth, G. R., Pistorius, L. R., Combrink, W. and Hartman, C.: Exteriorisation, ligation and replacement of the umbilical cord in the management of early onset severe twin-twin transfusion syndrome, 278
Howie, P.: see Mires, G. J.
Huang, A. and Tweedie, J. H.: Reducible inguinal swelling presenting during pregnancy—not always a hernia, 284
Hunter, G. and Parveen, R.: A comparison of intravaginal controlled release prostaglandin E_2 (10mg) for cervical ripening and initiation of labour versus prostaglandin E_2 (3 mg) vaginal tablet, 460
Hurley, P. A. see O'Connor, R. A.
Hussain, N.: see Carter, S.
Hutchon, D. J. R.: 'Expert' analysis of menstrual and ultrasound data in pregnancy—gestational dating, 435
Hydrops fetalis, secondary to parvovirus B19 infection, early presentation and spontaneous resolution of, 190
Hyperlipidaemia in pregnancy, severe, related to the use of low molecular weight heparin—enoxaparin sodium (clexate), 83
Hyperlipidaemic pancreatitis, acute, active management of in pregnancy, 174
Hypertensive disorders of pregnancy, prevention of, 123
Hysterectomy, abdominal, spontaneous vaginal vault rupture and evisceration 3 years post, 289
Hysterectomy, effect of, on ovarian blood supply and function, 263
Hysterectomy, elective, at Ilorin, Nigeria—4 year review, 72
Hysterectomy, emergency peripartum, 533
Hysterectomy for moderately enlarged uterus: abdominal versus vaginal hysterectomy, 375
Hysterectomy, subtotal, prolapsed ovarian cyst through cervical stump: a rare complication, 494
Hysterectomy, total versus subtotal,: a survey of current views and practice among British gynaecologists, 267

Ibrahim, R.: see Onwuhafua, P.
Idama, T. O. and Tuck, C. S.: Haemorrhage from umbilical cord varices—an unusual cause of abnormal cardiotocography, 176
Idama, T. O. and Tuck, C. S.: Presacral dermoid cyst—an unusual presentation, 297
Idowu, F.: see Sanusi, F. A.
Idrisa, A.: see Ezenwaka, C. E.
Ikomi, A., Eben, F. and Singer, A.: Prolapse of pedunculated submucous myoma after insertion of a levonorgestrel intrauterine system: two cautionary tales, 584
Ikomi, A.: see also Oyelese, K. O.
Ikpeze, O. C. and Nwosu, O. B.: Features of uterine fibroids treated by abdominal myomectomy at Nnewi, Nigeria, 000
Ilesanmi, A. O., Fawole, O., Olaleye, D. O. and Arowojolu, A.: Pregnancy outcome in the elderly primigravida, 40
Ilesanmi, A. O.: see Sowunmi, A.; see also Arowojolu, A. O.
Iliac artery dissection, spontaneous, in a healthy postpartum woman, 88
Immunodeficiency, common variable, fever in a pregnant woman with, 188
In vitro fertilisation treatment, an analysis of ectopic pregnancies following, in a 10-year period, 359
Ingelson, B. see Dunphy, B. C.
Inguinal swelling, reducible, presenting during pregnancy—not always a hernia, 284
Initiation of labour, a comparison of an intravaginal controlled release prostaglandin E_2 (10mg) for cervical ripening versus prostaglandin E_2 (3mg) vaginal tablet, 460
Intestinal-ovarian fistula associated with endometriosis, 196
Intravaginal naproxen in preterm labour: a preliminary study, 236
Intravenous leiomyomatosis of the uterus: a GnRH agonist utilisation before surgery, 492
Irani, S., Jeyapalan, K., McHugo, J. and Jordan, J. A.: Chronic non-puerperal inversion of the uterus, 202
Irvine, L. M.: see Jackson, N. V.
Isorna, V. see Hart, R.
IVF, Vitamin B12 deficiency and, 192

Jack, S., Hammond, R. and James, D. K.: Diagnosis and treatment of ruptured splenic artery aneurysm in pregnancy, 86
Jackson, N. V. and Irvine, L. M.: The influence of maternal request on the elective caesarean section rate, 115
Jaffa, A.: see Fait, G.
Jain, K. and Morris, P. G.: A clinical study to evaluate the usefulness of the MAST test in diagnosing pre-labour rupture of membranes, 33
James, D. K.: see Jack, S.
Jenkins-Woelk, L.: see Mahomed, K.
Jessa, E. O.: Twin pregnancy and perinatal deaths, 336
Jeyapalan, K.: see Irani, S.
Jirecek, S. see Hart, R.
John, V. A. see Bowen, A. J.
Johnstone, M.: see Manassiev, N.
Jones, J. E.: see Bhattacharyya, A.
Jones, M. B.: see Al-Mushrif, S.
Jones, M. E.: see Tincello, D. G.
Jones, S. E.: see Dwyer, J. P.
Jones, V.: see Rizk, N.
Jordan, J. A.: see Irani, S.

Kafkashli, A. C..: see Rosenfeld, B. L.
Kamdom-Moyo, J.: see Kouam, L.
Kamil, K. K.: see Fawzi, H. W.
Kaplan, B.: see Goldman, G. A.
Kaplan, B.: see Morad, Y.
Kaplan, B.: see Rabinerson, D.
Karabinas, C. D. and Tolis, G. J.: Thyroid disorders and pregnancy, 509
Karaveli, Ş.: see Elpek, G.
Karpathios, S., Liapis, A., Phylaktou, M., Drakakis, P. and Panangopoulos, P.: Colpopexy: a modification of Shaw's technique, 365
Kaseba, C. M.: see Chin, K. A. J.
Kaye, R.: see Matts, S. J. F.
Keen, C. E.: see Shembekar, M.
Kelly, D. G.: see Mulvey, S.
Kelly, J.: Vesico-vaginal and recto-vaginal fistulae, 249
Kelly, J., Fekadu, S., Lancashire, R. J., Poovan, P. and Redito, A.: A follow-up of repair of ruptured uterus in Ethiopia, 50
Kelly, T. and Mathers, A.: Early presentation and spontaneous resolution of hydrops fetalis, secondary to parvovirus B19 infection, 190
Kenney, A. see Aboud, E.
Keriakos, R. and Carswell, W.: Cervico-vaginal cyst following knife cone biopsy of the cervix, 389
Keriakos, R., Rahman, K. M. and Dixon, G. R.: Atypical vulval leiomyoma—a diagnostic challenge, 299
Keriakos, R., Rahman, K. M. and Yates, A. J.: Detached pelvic leiomyoma of uncertain origin, 301
Keriakos, R., Rahman, K. M. and Yates, A. J.: Unusual presentation of ovarian tumour of borderline malignancy, 390
Khan, F.: see Smith, A. L.

Khan, G. Q.: see Majid, M. J.
Khunda, S. S. and Al-Omari, S.: A new approach in the management of lower Mullerian atresia, 566
Kingston, R.: see Semple, D.
Kirwan, J. M. J., Farquharson, R. G. and McDicken, I.: Prolapsed ovarian cyst through cervical stump: a rare complication of a subtotal hysterectomy, 494
Kocak, I., Uzel, A. and Aytac, R.: An evaluation of transvaginal ultrasound-guided aspiration of simple adnexal cysts, 474
Kouam, L., Kamdom-Moyo, J., Doh, A. S., Ngassa, P. and Salihu, H. M.: Outcome of twin deliveries at the University Teaching Hospital, Yaoundé, Cameroon—a 15 year experience, 340
Kouam, L., Kamdom-Moyo, J., Ngassa, P., Doh, A. S. and Salihu, H. M.: Management of ectopic pregnancy by laparotomy and subsequent fertility, 169
Koumantakis, E. see Panidis, D.
Kovacs, G. T.: see Lowe, P. J. M.
Kudielka, I. see Hart, R.
Kupferminc, M. J.: see Fait, G.
Kurdi, A. see Mesleh, R.

Lamont, R. F.: see Cole, R. M.
Lancashire, R. J.: see Kelly, J.
Langer, B., Boudier, E. and Schlaeder, G.: Breech presentation after 34 weeks—a meta-analysis of corrected perinatal mortality/morbidity according to the method of delivery, 127
Laparoscopy, patient satisfaction with day case, 471
Lauro, V.: see Bori, S.
Ledwidge, M.: see Finan, A.
Leiomyoma, atypical vulval,—a diagnostic challenge, 299
Leiomyoma of uncertain origin, detached pelvic, 301
Leiomyoma, uterine, deep vein thrombosis secondary to compression by, 397
Leiomyomatosis, intravenous, of the uterus: a GnRH agonist utilisation before surgery, 492
Lessing, J. B.: see Fait, G.
Levonorgestrel intrauterine system, prolapse of pedunculated submucous myoma after insertion of a,: two cautionary tales, 584
Levonorgestrel-releasing intrauterine device, successful management of intractable menorrhagia with, in a woman with a bicornuate uterus, 392
Levy, R.: see Lurie, S.
Li, T. C.: see Doyle, D. F.
Li, T. C.: see Tomsu, M.
Liapis, A.: see Karpathios, S.
Lim, K. B.: see Selo-Ojeme, D. O.
Liston, W. A.: see Eckford, S. D.
Lobb, M. O.: see Schild, R. L.
Local anaesthesia for large loop excision of the cervical transformation zone: has prilocaine/felypressin less side effects than lignocaine/adrenaline?, 373
Loop diathermy excision, prophylactic antibacterials at the time of: current practice in the United Kingdom, 272
Low birth weight infants, perinatal factors influencing survival of extremely, 227
Lowe, P. J. M., Burmeister, L. and Kovacs, G. T.: Intestinal-ovarian fistula associated with endometriosis, 196
Lower, A. M.: see El-Nemr, A.
Lunar cycle, labour ward activity and the, 538
Lurie, S., Levy, R., Weiss, R., Boultin, G. and Hagay, Z. J.: Low values on 50 gram glucose challenge test or oral 100 gram glucose tolerance test are associated with good perinatal outcome, 451
Lurie, S., Manor, M. and Hagay, Z. J.: The threat of type IV Ehlers-Danlos syndrome on maternal well-being during pregnancy: early delivery may make the difference, 245

McCaw-Binns, A.: see Fletcher, H.
McDicken, I.: see Kirwan, J. M. J.
McHugo, J.: see Irani, S.
McKenna, P.: see Finan, A.
McLaughlin, J.: see Carter, S.
McLellan, A. see Farrell, T.
Macnab, J. L.: see Eckford, S. D.
McQuillan, K. see Ong, S.
Madders, D. J.: see Chowdhury, R. R.
Madzime, S.: see Mahomed, K.
Magos, A. see Hart, R.
Mahomed, K., M. A. Williams, Woelk, G. B., Jenkins-Woelk, L., Mudzamiri, S., Madzime, S. and Sorensen, T. K.: Risk factors for preeclampsia-eclampsia among Zimbabwean women: recurrence risk and familial tendency towards hypertension, 218
Mai, A. M.: see Bobzom, D. N.
Majid, M. J., Savona, S. R. and Khan, G. Q.: Hodgkin's disease in pregnancy, 486
Mamopoulos, M. see Panidis, D.
Manassiev, N., Abusheika, N., Victor-Olagundoye, V. and Johnstone, M.: What is the normal heart rate of a term fetus?, 442
Mandal, A. K., De, M., Stannard, P. J. and Paisey, R.: Pregnancy with congenital adrenal hyperplasia, 285
Mann, E.: see Schild, R. L.
Manor, M.: see Lurie, S.
Manyonda, I.: see Thakar, R.; see also Oyelese, K. O.
Maplethorpe, R. M.: see Dobbs, S. P.
Mardh, P. A. see Tchoudomirova, K.
Mars, M.: see Bowen, R. S.
Martens, G.: see Cammu, H.
Martindale, E. A., Subiris, J. F. and Wake, C. R.: Severe secondary postpartum haemorrhage successfully managed by vaginal myomectomy, 380
MAST test, a clinical study to evaluate the usefulness of, in diagnosing pre-labour rupture of membranes, 33
Matalliotakis, I. see Panidis, D.
Maternal mortality in Maiduguri, Nigeria, 139
Maternal plasma glycaemia and fetal outcome in north-east Nigeria, 455
Mathers, A.: see Kelly, T.
Matorras, R. see Nieto, A.
Matthews, T.: see Finan, A.
Matts, S. J. F.: An unusual cause of right iliac fossa pain for the gynaecologist: benign fallopian tube teratoma, 194
Matts, S. J. F. and Kaye, R.: An audit of the antenatal administration of steroids in women at risk of preterm labour, 348
Mavromatidis, G. see Panidis, D.
Meconium-stained neonates, management of, 223
Meekins, J. W. see Parkar, W.
Melanoma, vaginal: a current review, 516
Menorrhagia, a double-blind randomised study comparing danazol and medroxyprogesterone acetate in the management of, 553
Menorrhagia, intractable, successful management of, with a levonorgestrel-releasing intrauterine device, in a woman with a bicornuate uterus, 392
Merlob, P.: see Morad, Y.
Mesleh, R., Ayoub, H., Algwiser, A. and Kurdi, A.: Emergency peripartum hysterectomy, 533
Metabolic acidosis, associated peripartum, and cerebral pathology in the pre-term infant, 111
Microbiological findings in women attending for a general health check-up, gynaecological and, 556
Migrating clips: a myth or a reality?, 290
Millinship, J.: see Dhar, K. K.
Minchin, A. J. see Alexander-Sefre, F.
Mires, G. J. and Howie, P.: Cerebral pathology in the pre-term infant and associated peripartum metabolic acidosis, 111
Mohamid, W. see Alexander-Sefre, F.

Mohanty, A. K. and Trehan, A. K.: Puerperal uterine inversion: analysis of three cases managed by repositioning, and literature review, 353
Moodley, J.: see Bowen, R. S.; see also Ellwood, J. L.; Perumal, B. G.
Morad, Y., Kaplan, B., Zangen, S., Rabinerson, D., Peleg., D. and Merlob, P.: Management of meconium-stained neonates, 223
Morcos, M. see Alexander-Sefre, F.
Morgan, D. R.: see O'Connell, M.
Morris, N. H.: see Hickey, M.
Morris, P. G.: see Jain, K.
Mouchantat, M. R.: see Sharara, H. A.
Mudzamiri, S.: see Mahomed, K.
Mullerian atresia, lower, a new approach in the management of, 566
Mulvey, S., Foley, M., Kelly, D. G. and Stronge, J.: Urinary tract fistulas following gynaecological surgery, 369
Muna, D. M.: see Bobzom, D. N.
Mundegar, R. R.: see Schild, R. L.
Myoxoma of the ovary, 295

Nagele, F. see Hart, R.
Nanthakumaran, H.: see Stafford, M. K.
Narayansingh, C. V., Serrao, C. and Ramsewak, S. S.: Innocuous recurrent vaginal bleeding during pregnancy in a patient with uterus didelphys, 592
Nassif, B.: see Bakour, S. H.
Navaneetham, N. and Dent, K. S.: Splenic aneurysm rupture mimicking a pulmonary embolism, 206
Nayagam, A. T. see Uthayakumar, S.
Neill, A. M., Hackett, G. A., Overton, C. and Bryne, C. D.: Active management of acute hyperlipidaemic pancreatitis in pregnancy, 174
Neonatal morbidity associated with disproportionate intrauterine growth retardation at term, 540
Neri, A.: see Rabinerson, D.
Ng, E. H. Y., Yeung, W. S. B., So, W. W. K. and Ho, P. C.: An analysis of ectopic pregnancies following *in vitro* fertilisation treatment in a 10-year period, 359
Ngassa, P.: see Kouam, L.
Nicholaides, K. H.: see Ali Akbar, S.
Nicol, A. see Parkar, W.
Nieto, A., Matorras, R., Villar, J. and Serra, M.: Neonatal morbidity associated with disproportionate intrauterine growth retardation at term, 540
Nitric oxide, the impact of, on gynaecology, 408
Nullipara, 'standard', does the attending obstetrician influence the mode of delivery?, 520
Nunns, D., Harkett, R. and Oppenheimer, C. A.: Puerperal primary pneumococcal peritonitis, 395
Nwabue, R. A.: Entrapped after-coming head in caesarean breech delivery, 80
Nwosu, E. C.: see Bakour, S. H.
Nwosu, O. B. see Ikpeze, O. C.

Obeidat, A.: see Abu-Heija, A. T.
Obeidat, A.: see El-Jallad, M. F.
Obstetric deaths in Trinidad, 37
O'Connell, M., Morgan, D. R. and Robinson, D. W.: The significance of psammoma bodies in gynaecological smears and aspirates: how should such cases be managed?, 270
O'Connor, R. A. and Hurley, P. A.: Torsion of the gravid uterus: an unusual cause of transverse fetal lie, 589
Odukogbe, A. A. see Adebamowo, C. A.
Oduola, A. M. J.: see Sowunmi, A.
Oestradiol, bioavailability of, from the Alora (0.1 mg/day) oestradiol matrix transdermal delivery system compared with Estaderm (0.1 mg/day), 575
Oestradiol replacement therapy, transdermal, the influence of medroxyprogesterone acetate on the effects of on plasma lipids, 141
Ogden, J. R.: see Osoba, L.
Ogueh, O. and Johnson, M. R.: What is the value of hospitalisation in antepartum haemorrhage of uncertain origin ?, 120
Ogundahunsi, O. A. T.: see Sowunmi, A.
Okara, G. C.: see Ezenwaka, C. E.
Oke, O. O., Guirguis, M., Rowley, S. and Grace, R. H.: Spontaneous vaginal vault rupture and evisceration 3 years post abdominal hysterectomy, 289
O'Keane, C.: see Bosio, P. M.
Okon, M. A. and Ramsden, C. S.: Granulosa cell tumour presenting as an isolated hydrothorax and grossly raised CA125, 593
Okon, M. A. and Spooner, S. F.: Protein C deficiency and stroke in pregnancy, 182
Olaku, O.: see Coker, A.
Olaleye, D. O.: see Ilesanmi, A. O.
O'Malley, K.: see Bosio, P. M.
Omekara, D.: see Onwuhafua, P.
Ong, S., Wingfield, M. and McQuillan, K.: Labour ward activity and the lunar cycle, 538
Oni, A. A.: see Arowojolu, A. O.
Oni, M. see Fahy, U. M.
Onwuhafua, A.: see Onwuhafua, P.
Onwuhafua, P., Onwuhafua, A., Omekara, D. and Ibrahim, R.: Ruptured uterus in Kaduna, Nigeria: a six-year review, 419
Oppenheimer, C. A.: see Nunns, D.
Oral, Ö.: see Özden, S.
O'Regan, M.: see Finan, A.
Osoba, L. and Ogden, J. R.: Deep vein thrombosis secondary to compression by uterine leiomyoma, 397
Ovarian cancer, occult, presenting as cerebral metastases, 294
Ovarian cyst, prolapsed, through cervical stump: a rare complication of a subtotal hysterectomy, 494
Ovarian hilus cell tumours, 91
Ovarian hyperstimulation syndrome, pathophysiology, prevention and management, 405
Ovarian hyperstimulation syndrome, unilateral ovarian diathermy prior to successful *in vitro* fertilisation: a strategy to prevent recurrence, 171
Ovarian tumour of borderline malignancy, unusual presentation of, 390
Overton, C.: see Neill, A. M.
Oyawoye, O. A.: Elective hysterectomy at Ilorin, Nigeria—4 year review, 72
Oyelese, K. O., Turner, M., Ikomi, A., Ville, Y. and Manyonda, I. T.: Delivery through an undiagnosed major placenta praevia: good outcome for mother and baby, 385
Ozan, H. see Bilgin, T.
Özcan, T.: see Dŏgan, M. M.
Özden, S., Ficicioglu, C., Güner, R., Arioglu, P. and Oral, Ö.: Comparison of the intrapartum analysis of Doppler blood flow velocity waveform of the umbilical artery and fetal heart tracing for the prediction of perinatal outcome, 445

Paisey, R.: see Mandal, A. K.
Panagopoulos, P.: see Karpathios, S.
Panidis, D., Matalliotakis, I., Rousso, D., Mavromatidis, G., Koumantakis, E. and Mamopoulos, M.: Headless spermatozoa in fertile men, 581
Parkar, W., Meekins, J. W. and Nicol, A.: Adenomyosis following endometrial resection—a retrospective study, 564
Parveen, R.: see Hunter, G.
Parvovirus B19 infection, early presentation and spontaneous resolution of hydrops fetalis secondary to, 190
Paterson-Brown, S.: see Cotzias, C. S.
Pegoraro, R. J: see Perumal, B. G.
Peleg., D.: see Morad, Y.
Pelvic inflammatory disease, acute, clinical and laparoscopic diagnosis of, in Nigeria, 276

Pelvic leiomyoma of uncertain origin, detached, 301
Pelvic pain, continuing chronic, the prevalence of, following a negative laparoscopy, 252
Pelvic retroperitoneal schwannoma as an adnexal mass, 599
Penketh, R. J. A.: see Chin, K. A. J.
Penman, D.: see Carpenter, T.
Perez-Clemente, M. P.: see Rix, G. H.
Peritonitis, puerperal primary pneumococcal, 395
Perkins, J.: see Bonevski, B.
Perumal, B. G., Moodley, J. and Pegoraro, R. J.: Prolactin as a tumour marker in cancer of the cervix, 260
Phylaktou, M.: see Karpathios, S.
Pickersgill, A., Furniss, H. and Seif, M. W.: Why do women volunteer to participate in clinical studies?, 68
Pill scare, the 1995, and its aftermath: lessons learnt, 215
Pinto, R.: see Bhathena, R. K.
Pipelle endometrial sampler, the diagnostic accuracy in the presence of endometrial polyps, 274
Pipelle endometrial suction currette: how useful is it in clinical practice?, 53
Pipelle sampler, limitations associated with the use of (correspondence), 398
Pistorius, L. R. and Hartman, C. R.: Sonographic diagnosis of subacute puerperal uterine inversion, 483
Pistorius, L. R.: see also Howarth, G. R.
Pitman, M. C.: see Stafford, M. K.
Placenta percreta, spontaneous uterine rupture at 15 weeks of gestation due to, 384
Placenta praevia, undiagnosed major, delivery through: good outcome for mother and baby, 385
Plasmapheresis in the management of HELLP syndrome, 377
Plath, H.: see Schild, R. L.
Plews, D.: see Eckford, S. D.
Polyhydramnios: an association with congenital myotonic dystrophy, 484
Poovan, P.: see Kelly, J.
Post-menopausal bleeding, evaluation of a one-stop clinic for the rapid assessment of, 148
Postmenopausal bleeding, recurrent, the use of hormone assays and transvaginal ultrasound measurement of endometrial thickness in the management of, 76
Postpartum haemorrhage, severe secondary, successfully managed by vaginal myomectomy, 380
Potter's syndrome, recurrent, in a consanguineous marriage, 85
Pre-eclampsia and chromosomal anomalies, 550
Pre-eclampsia, the response of the dietary anti-oxidants vitamin E and vitamin C to oxidative stress in, 9
Pre-labour rupture of membranes, a clinical study to evaluate the usefulness of the MAST test in diagnosing, 33
Pre-eclampsia-eclampsia, risk factors for, among Zimbabwean women: recurrence risk and familial tendency towards hypertension, 218
Pregnancy after abortions, 159
Presacral dermoid cyst—an unusual presentation, 297
Preston, F.: see Tomsu, M.
Preterm labour, an audit of the antenatal administration of steroids in women at risk of, 348
Preterm labour, current perspectives on drug treatment for, 309
Preterm labour, intravaginal naproxen in,: a preliminary study, 236
Preterm labour, removal of cervical suture to stop, 81
Preterm labour, use of steroids, tocolytics and antibiotics in the management of, in Wales, 315
Primigravidae, elderly, pregnancy outcome in the, 40
Prolactin as a tumour marker in cancer of the cervix, 260
Prolapse of pedunculated submucous myoma after insertion of a levonorgestrel intrauterine system: two cautionary tales, 584
Prophylactic antibacterials at the time of loop diathermy excision: current practice in the United Kingdom, 272
Protein C deficiency and stroke in pregnancy, 182
Protein S deficiency and factor V Leiden gene in pregnancy, 178
Psammoma bodies in gynaecological smears and aspirates, the significance of,: how should such cases be managed?, 270
Puerperal uterine inversion: analysis of three cases managed by repositioning, and literature review, 353

Rabinerson, D., Kaplan, B., Dekkel, A., Bar, J. and Neri, A.: Annular detachment of the cervix uteri—the forgotten entity, 279
Rabinerson, D.: see also Goldman, G. A.; Morad, Y.
Rafla, N. M. and Etokowo, G. A.: The effect of maternal exercise on uterine artery velocimetry waveforms, 14
Rahman, K. M.: see Keriakos, R.
Raju, S. see Aboud, E.
Ramirez, M. E. see Bowen, A. J.
Ramsden, c. S. see Okon, M. A.
Ramsewak, S. S. see Narayansingh, C. V.
Raslam, F., Rees, K. and Ashworth, F.: Complete response of persistent trophoblastic disease to methotrexate following laparoscopic linear salpingostomy, 198
Redito, A.: see Kelly, J.
Redman, C. W. E.: see Dhar, K. K.; see also Foden-Shroff, J.
Rees, K.: see Raslam, F.
Refahi, N.: see Barjot, P. J.
Reid, P. C.: see Coker, A.
Richmond, M. N.: see Doyle, D. F.
Riddle, A.: see Hafez, A.
Rix, G. H., Perez-Clemente, M. P., Spencer, P. J. and Al-Rufaie, H. K.: Myxoma of the ovary, 295
Rizk, N., Toon, P. G., Watson, D. and Jones, V.: Protein S deficiency and factor V Leiden gene in pregnancy, 178
Roberts, M. see Christoforidis, N.
Robinson, D. W.: see O'Connell, M.
Robinson, G.: see Thakar, R.
Roman, J. see Trivedi, A. N.
Roopnarinesingh, A.: see Bassaw, B.; see also Roopnarinesingh, S.
Roopnarinesingh, S., Bassaw, B. and Roopnarinesingh, A. J.: Obstetric deaths in Trinidad, 37
Roopnarinesingh, S.: see also Bassaw, B.
Rosenfeld, B. L., Taskin, O., Kafkashli, A. C., Rosenfeld, M. L. and Chuong, C. J.: Menstrual, psychosexual, psychological and somatic sequelae following postpartum sterilisation, 256
Rosenfeld, M. L.: see Rosenfeld, B. L.
Rousso, D.: see Panidis, D.
Rowley, S.: see Oke, O. O.
Rupture of a rudimentary uterine horn at 19 weeks' gestation, 394
Rupture of the uterus in labour: a review of 14 cases in a general hospital, 429
Rupture of the uterus with misoprostol (prostaglandin E1) used for induction of labour, 184
Ruptured uterus, commentary, 431
Ruptured uterus, a follow-up of repair of, in Ethiopia, 50
Ruptured uterus in Kaduna, Nigeria: a six-year review, 419
Ruptured uterus, outcome of, at University Teaching Hospital Aleppo, Syria, 424

Saad, F. A.: see Sharara, H. A.
Sabatini, L.: see El-Nemr, A.
Sagittal sinus thrombosis, superior, postpartum, 82
Salihu, H. M.: see Kouam, L.
Salpingitis, acute, laparoscopic and microbiological features of, in developing countries, 164
Samal, S., Gupta, U. and Agarwal, P.: Displacement of the Copper-T200 intrauterine device into the sigmoid colon, 292
Sanson-Fisher, R.: see Bonevski, B.
Sanusi, F. A., Babatunde, T. R. and Idowu, F.: Not all that fits in pregnancy is eclampsia: a lesson, 481

Savona, S. R.: see Majid, M. J.
Savova, J. see Tchoudomirova, K.
Savvidou, M., Edwards, G. and Davies, N.: Use of steroids, tocolytics and antibiotics in the management of preterm labour in Wales, 315
Schild, R. L. and Lobb, M. O.: Acquired postpartum factor VIII deficiency: a cause of severe postpartum complications, 180
Schild, R. L., Plath, H., Hofstaetter, C., Brenner, R., Mann, E., Mundegar, R. R., Steinbach, P. and Hansmann, M.: Polyhydramnios: an association with congenital myotonic dystrophy, 484
Schlaeder, G.: see Langer, B.
Scleroderma in pregnancy, 238
Scott, H. J. see Zaffar, M.
Second trimester fetal abnormality scans: do women know the reasons why they are done?, 243
Şedele, M.: see Elpek, G.
Seidel, J. see Dunphy, B. C.
Seif, M. W.: see Pickersgill, A.
Sell, P. see Fahy, U. M.
Selo-Ojeme, D. O. and Lim, K. B.: Recurrent Potter's syndrome in a consanguineous marriage, 85
Semple, D., Kingston, R. and Farquharson, R.: Female adnexal tumour of probable Wolffian origin, 200
Serra, M. see Nieto, A.
Serrao, C. see Narayansingh, C. V.
Settatree, R. see Varawalla, N.
Sharara, H. A., Saad, F. A., Mouchantat, M. R. and Hamad, A. I.: Postpartum superior sagittal sinus thrombosis, 82
Shehata, K. I. S. I.: see Fawzi, H. W.
Shembekar, M., Casaclang, D. and Keen, C. E.: Granulosa cell tumours of the ovary express inhibin but not CA125, 355
Shembekar, M. see also Aboud, E.
Shenhav, M.: see Fait, G.
Shrestha, R.: see Atiomo, W. U.
Shrestha, R.: see Subba, B.
Singer, A. see Ikomi, A.
Smith, A. L. and Khan, F.: Dyspareunia due to osteochondroma of the pubic ramus, 90
Smith, H. and Heatley, M. K.: Incidental uterine amyloidosis in a 91-year-old presenting with procidentia, 303
Smith, J. R.: see Ablett, J. C.; see also Stattford, M. K.; Uthayakumar, S.
Smith, K. M. and Gillmer, M. D.: Amielle vaginal trainers—a patient evaluation, 146
Smith, P.: see Carpenter, T.
So, W. W. K.: see Ng, E. H. Y.
Sobande, A. A., Zaki, Z. M. S. and Albar, H. M.: Experience with selective external cephalic version at term in Saudi Arabia: three year review, 439
Soin, B., Thyveetil, M. D. and Desai, A.: Sub-total colectomy for perforated toxic megacolon in pregnancy, 601
Sorensen, T. K.: see Mahomed, K.
Sowunmi, A., Fehintola, F. A., Ogundahunsi, O. A. T., Arowojolu, A. O. and Oduola, A. M. J.: Efficacy of chloroquine plus chlorpheniramine in chloroquine-resistant falciparum malaria during pregnancy in Nigerian women: a preliminary study, 524
Sowunmi, A., Oduola, A. M. J., Ogundahunsi, O. A. T., Fehintola, F. A., Ilesanmi, O. A., Akinyinka, O. O. and Arowojolu, A. O.: Randomised trial of artemether versus artemether and mefloquine for the treatment of chloroquine/sulphfadoxine-pyrimethamine-resistant falciparum malaria during pregnancy, 322
Spencer, P. J.: see Rix, G. H.
Splenic aneurysm rupture mimicking a pulmonary embolism, 206
Splenic artery aneurysm, ruptured, diagnosis and treatment of, in pregnancy, 86
Spooner, S. F.: see Okon, M. A.
Stafford, M. K., Pitman, M. C., Nanthakumaran, H. and Smith, J. R.: Blunt-tipped versus sharp-tipped needles: wound morbidity, 18
Stannard, P. J.: see Mandal, A. K.
Stanton, S.: see Thakar, R.
Steinbach, P.: see Schild, R. L.
Stephenson, T. P.: see Barrington, J. W.
Sterilisation, postpartum, menstrual, psychosexual, psychological and somatic sequelae following, 256
Stillbirths, unexplained, evidence of growth restriction in, 548
Stress incontinence, the modified rectus fascial sling for the treatment of genuine, 61
Stress incontinence in women, a single transurethral Macroplastique injection as primary treatment for, 56
Stronge, J.: Commentary: Ruptured uterus, 431
Stronge, J.: see also Mulvey, S.
Subba, B. and Shrestha, R.: Possible persistent trophoblastic activity after partial salpingectomy for ectopic pregnancy, 496
Subiris, J. F.: see Martindale, E. A.
Taskin, O.: see Rosenfeld, B. L.
Tay, P. Y. S., Tharmaratnam, S. and Dornan, J. C.: Sonographic diagnosis of a unilateral tubal twin pregnancy with documented fetal heart activity, 281
Tchoudomirova, K., Bassiri, M., Savova, J., Hellberg, D. and Mardh, P. A.: Gynaecological and microbiological findings in women attending for a general health check-up, 556
Teale, G. R. and Dunster, G. D.: The Pipelle endometrial suction currette: how useful is it in clinical practice?, 53
Temmerman, M. see Van Trappen, P.
Temporary filters in the vena cava, use of (correspondence), 92
Teratoma, wandering calcified, 499
Thakar, R., Manyonda, I., Robinson, G., Clarkson, P. and Stanton, S.: Total versus subtotal hysterectomy: a survey of current views and practice among British gynaecologists, 267
Tharmaratnam, S.: see Tay, P. Y. S.
Thein, K.: see Danso, D.
Thomas, E.: see Foden-Shroff, J.
Thrombocythaemia, primary, in pregnancy, 588
Thyroid disorders and pregnancy, 509
Thyveetil, M. D. see Soin, B.
Tierney, R.: see Dobbs, S. P.
Tincello, D. G. and Jones, M. E.: Second trimester fetal abnormality scans: do women know the reasons why they are done?, 243
Tolis, G. J. see Karabinas, C. D.
Tomsu, M., Li, T. C., Preston, F. and Forrest, A. R. W.: Severe hyperlipidaemia in pregnancy related to the use of low molecular weight heparin—enoxaparin sodium (clexate), 83
Toon, P. G.: see Rizk, N.
Torsion of the gravid uterus: an unusual cause of transverse fetal lie, 589
Toxic shock syndrome following minor surgery in pregnancy resulting in premature labour and subsequent neonatal death, 186
Trak, B.: see Elpek, G.
Transverse fetal lie, torsion of the gravid uterus: an unusual cause 589
Trivedi, A. N. and Roman, J.: A case report of a laparoscopically treated cornual pregnancy as a result of spontaneous conception after prior salpingectomy for tubal pregnancy, 602
Trophoblastic activity, possible persistent, after partial salpingectomy for ectopic pregnancy, 496
Trophoblastic disease, persistent, complete response to methotrexate following laparoscopic linear salpingostomy, 198

Tubal twin pregnancy, sonographic diagnosis of a unilateral, with documented fetal heart activity, 281
Tuck, C. S.: see Idama, T. O.
Tucker, H.: see Dhar, K. K.
Turner, M.: see Oyelese, K. O.
Turner, M. J.: see Greene, R. A.
Turner, M. L.: see Eckford, S. D.
Tweedie, J. H.: see Huang, A.
Twin deliveries at the University Teaching Hospital, Yaoundé, Cameroon—a 15-year experience, 340
Twin, is the second-born at high risk?, 133
Twin pregnancy, monoamniotic, spontaneous vaginal delivery of, despite extensive cord entanglement, 283
Twin pregnancy and perinatal deaths, 336
Twin-twin transfusion severe syndrome, exteriorisation, ligation and replacement of the umbilical cord in the management of early onset, 278

Umbilical artery blood flow, reversed, successful perinatal outcome after 5 weeks, 287
Umbilical cord entanglement, cardiotocography in, 590
Umbilical cord varices, haemorrhage from,—an unusual cause of abnormal cardiotocography, 176
Üner, M.: see Elpek, G.
Urinary tract fistulas following gynaecological surgery, 369
Usman, F. and Henalla, S.: A single transurethral Macroplastique injection as primary treatment for stress incontinence in women, 56
Uterine amyloidosis, incidental, in a 91-year-old presenting with procidentia, 303
Uterine artery velocimetry waveforms, the effect of maternal exercise on, 14
Uterine fibroids treated by abdominal myomectomy, features of, at Nnewi, Nigeria, 569
Uterine horn pregnancy, rudimentary, laparoscopic management of a, 498
Uterine inversion, puerperal,: analysis of three cases managed by repositioning, and literature review, 353
Uterine inversion, subacute puerperal, sonographic diagnosis of, 483
Uterine rupture, spontaneous, at 15 weeks of gestation, due to placenta percreta, 384
Uterus, chronic non-puerperal inversion of the, 202
Uthayakumar, S., Boyle, D. C. M., Barton, S. E., Nayagam, A. T. and Smith, J. R.: Bacterial vaginosis and cervical intraepithelial neoplasia—cause or coincidence?, 572
Uzel, A.: see Kocak, I.

Vaginal bleeding, innocuous recurrent, during pregnancy in a patient with uterus didelphys, 592
Vaginal delivery after two or more previous caesarean sections: is trial of labour contraindicated?, 20
Vaginal delivery following caesarean section—the use of oxytocin and prostaglandins, 328
Vaginal melanoma: a current review, 516
Vaginal trainers, Amielle—a patient evaluation, 146
Vaginal vault rupture and evisceration, spontaneous, 3 years after abdominal hysterectomy, 289
Vaginosis, anaerobic, and premalignant disease of the cervix (correspondence), 207
Vaginosis, bacterial, and cervical intraepithelial neoplasia—cause or coincidence, 572
Vaginosis, bacterial, a study of the prevalence of hydrogen peroxide generating *lactobacilli* in,: the determination of H_2O_2 concentrations generated *in vitro* by isolated strains and the levels found in vaginal secretions of women with and without infection, 63
Valenzuela, P. and Domínguez, P.: Ovarian hilus cell tumours, 91
Van Maele, G.: see Cammu, H.
Van Trappen, P., Verbeken, K. and Temmerman, M.: Pre-eclampsia and chromosomal anomalies, 550
Varawalla, N. and Settatree, R.: Does the attending obstetrician influence the mode of delivery in the 'standard' nullipara?, 520
Ventouse: use, cup placement and success, 318
Verbeken, K. see Van Trappen, P.
Vesico-cutaneous fistula with a valvular stone—an unusual complication following gauze-hammock sling operation, 488
Vesico-vaginal and recto-vaginal fistulae, 249
Victor-Olagundoye, V.: see Manassiev, N.
Villar, J. see Nieto, A.
Ville, Y.: see Oyelese, K. O.
Vitamin B12 deficiency and IVF, 192
Vulval cancer, endometrial cancer disguised as, 595
Vulval cancer in pregnancy, 595
Vulval leiomyoma, atypical,—a diagnostic challenge, 299

Wake, C. R.: see Martindale, E. A.
Watson, D.: see Rizk, N.
Weaver, J. B.: see Chin, K. A. J.
Webb, J. B.: see Chowdhury, R. R.
Wee, L.: see Chin, K. A. J.
Weiss, R.: see Lurie, S.
Weitch, J. see Fawzi, H. W.
Whitten, M.: see Ablett, J. C.
Wilcock, F. and Kingdom, J.: Emergency caesarean section in term nulliparas, 351
Williams, M. A.: see Mahomed, K.
Wilson, C.: see El-Nemr, A.
Wingfield, M. see Ong, S.
Woelk, G. B.: see Mahomed, K.
Wraight, A.: see Chamberlain, G. V. P.

Yates, A. J.: see Keriakos, R.
Yeung, W. S. B.: see Ng, E. H. Y.

Zaffar, M. and Scott, H. J.: Vaginal melanoma: a current review, 516
Zaki, Z. M. S.: see Sobande, A. A.
Zangen, S.: see Morad, Y.
Zayed, F.: see Abu-Heija, A.
Ziadeh, S., Abu-Heija, A. T., El-Jallad, M. F. and Abukteish, F.: Effect of mode of delivery on perinatal results in singleton breech presentation weighing > 1500 g, 30
Ziadeh, S.: see also Abu-Heija, A. T.; El-Jallad, M. F.
Zorlu, C. G.: see Elpek, G.